

TUV T5

TUV 36T5 SP NO

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

Product data

• General Characteristics

System Description High Efficiency
Cap-Base Single Pin
Cap-Base Information Single Pin
Bulb T16
Main Application Disinfection
Useful Life 9000 hr

• Electrical Characteristics

Rated Lamp Wattage 40 W
Technical Lamp 40 W
Power
Lamp Voltage 94 V
Lamp Current 0.425 A

• Light Technical Characteristics

Colour Code - Colour Designation -

• UV-related Characteristics

UV-C Radiation 15 W

• Product Dimensions

 Reference Length A
 839.4 (min), 842.4 (nom), 845.4 (max) mm

 Overall Length C
 856.9 (min), 860.4 (nom), 863.9 (max) mm

 Diameter D
 19 (max) mm


 Arc Length O
 762 mm

• Product Data

Order code 640369 99 Full product code 871150064036999 TUV 36T5 SP NO Full product name TUV 36T5 SP NO/32 Order product name Pieces per pack Packing configuration 32 Packs per outerbox 32 8711500640369 Bar code on pack -EAN1 8711500640376 Bar code on outerbox - EAN3 927970004099 Logistic code(s) -12NC 87.000 gr Net weight per piece



Dimensional drawing




Single pin


Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 36T5 HE SP	-	_	845.4	-	_	-	-	-	863.9	18.6	762



TUV T5

Photometric data







 $\ensuremath{\textcircled{\odot}}$ 2011 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.