

TUV T5

TUV 64T5 HE 4P SE UNP

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

Product data

• General Characteristics

System Description	High Efficiency
Cap-Base	4 Pins Single Ended
Cap-Base Information	4 Pins Single Ended
Bulb	T16
Main Application	Disinfection
Useful Life	9000 hr

• Electrical Characteristics

Rated Lamp Wattage	75 W
Technical Lamp	75 W
Power	
Lamp Voltage	176 V
Lamp Current	0.425 A

• Light Technical Characteristics

Colour Code	-
Colour Designation	-

• UV-related Characteristics

UV-C Radiation	31 W
----------------	------

• Product Dimensions

Reference Length A	1550.6 (min), 1553.6 (nom), 1556.6 (max) mm
Overall Length C	1557.5 (min), 1561.0 (nom), 1564.5 (max) mm
Diameter D	19 (max) mm


• Product Data

Order code	642325 99
Full product code	871150064232599
Full product name	TUV 64T5 HE 4P SE UNP
Order product name	TUV 64T5 HE 4P SE UNP
Pieces per pack	1
Packing configuration	32
Packs per outerbox	32
Bar code on pack - EAN1	8711500642325
Bar code on outerbox - EAN3	8711500642332
Logistic code(s) - 12NC	927970704099
Net weight per piece	156.000 gr

PHILIPS

sense and simplicity

Dimensional drawing





4 pins single ended

Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 64T5 HE 4P SE	-	-	1556.6	-	-	-	-	-	1564.5	19.3	-



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, May 17
data subject to change