



UV-B Narrowband TL

TL 100W/01 SLV/10

More than 400 independent clinical studies have proven that the UVB Narrowband TL lamps are safer and more effective than any other lamps in their class. That is because these lamps emit only a very narrow waveband from the 'B' bandwidth of the UV spectrum (290 to 315). This narrow waveband is between 305 and 315 nm and peaks at 311 nm: the most efficacious waveband for the treatment of psoriasis. This means that treatment is much more focused and exposure times are much shorter. This in turn leads to a reduction of side effects such as reddening of the skin and itching. All of this makes them ideal for phototherapy treatment of diseases such as psoriasis and vitiligo. What's more, because the overall dosage of this narrowband radiation can be closely controlled, these lamps are suitable for home therapy. N.B.: Our UVB lamps are NOT registered with FDA as medical devices as they are NOT packaged or labeled for commercial distribution for health-related purposes. US customers are referred to the UVB and UVA lamp range brochure US version.

Product data

General Information		Depreciation At 1000 Hours	
Cap-Base	R17D [R17d (RDC)]	Depreciation At 1000 Hours	15 %
Main Application	Phototherapy	Operating and Electrical	
Life To 50% Failures (Nom)	1000 h	Power (Rated) (Nom)	100 W
Useful Life (Nom)	1000 h	Lamp Current (Nom)	0.97 A
Light Technical		Voltage (Nom)	126 V
Color Code	01	Mechanical and Housing	
Color Designation	Ultra Violet B	Cap-Base Information	Adaptor
Chromaticity Coordinate X (Nom)	216	UV	
Chromaticity Coordinate Y (Nom)	208	UV-B Radiation 100 hr (IEC)	16.1 W
Depreciation At 500 Hours	10 %		

UV-B Narrowband TL


UV-B Radiation 5hr (IEC)	18.4 W
Product Data	
Full product code	871869666233500
Order product name	TL 100W/01 SLV/10
EAN/UPC - Product	8718696662335
Order code	928034900130

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	928034900130
Net Weight (Piece)	0.470 kg

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Dimensional drawing




TL 100W/01 R17d

Product	D (max)	A (max)	B (max)	B (min)	C (max)
TL 100W/01 SLV/10	40.5 mm	1763.8 mm	1770.9 mm	1768.5 mm	1782.2 mm

Photometric data



Lightcolor /01



Lightcolor /01

UV-B Narrowband TL

